



DESCRIPTION

Ready-to-drink formula of protein, carbohydrate, fat (including docosahexaenoic acid – DHA), vitamins and minerals for a diet restricted in potassium, chloride, phosphorus, calcium, and vitamin A.

USE UNDER MEDICAL SUPERVISION

INDICATIONS

For the dietary management of kidney disease. Suitable from 1 year of age.

DOSAGE AND ADMINISTRATION

To be determined by the clinician or dietitian and is dependent on the age, body weight, and medical condition of the patient.

PREPARATION GUIDELINES

Shake well before use.

Best served chilled.



STORAGE

Store in a cool dry place or refrigerate before use if desired.

The product should be consumed immediately after opening.

IMPORTANT NOTICE

Must only be used under strict medical supervision. Not for intravenous use.

For enteral use only (tube and oral feeding).

Regular monitoring of nutritional status and electrolyte levels is required.

Not suitable for use as a sole source of nutrition.

However, if this is not possible, seal cap and consume within 6 hours at room temperature or within 24 hours if refrigerated. Re-shake well before use.

Discard any unused product after 24 hours.

Ordering and Reimbursement Information

Renastep				
Flavor	Packaging	Net Weight	Reimbursement Code	HCPCS Code
Vanilla	15 x 200 ml (6.7 fl oz) bottles	3 L (101 fl oz) (3.17 qt)	12539-0024-84	B4154

Renastep Nutrition Information

	Units	Per 100 ml	Per 200 ml (1 bottle)
Calories	kcal	200	400
Protein	g	4.0	8.0
Carbohydrate	g	21	42
Sugars	g	3.4	6.8
Total Fat	g	11	22
Saturated Fat	g	1.7	3.4
Monounsaturated Fat	g	7.8	15.6
Polyunsaturated Fat	g	1.1	2.2
Linoleic acid	mg	725	1450
α -Linolenic acid	mg	150	300
Docosahexaenoic Acid (DHA)	mg	40	80
VITAMINS			
Vitamin A	mcg RE	39	78
Vitamin D	mcg	1.6	3.2
Vitamin E	mg α TE	4.5	8.9
Vitamin C	mg	8.0	16
Vitamin K	mcg	8.8	18
Thiamin	mg	0.15	0.30
Riboflavin	mg	0.20	0.40
Niacin	mg	1.5	3.0
Vitamin B6	mg	0.21	0.42
Folic Acid	mcg	25	50
Vitamin B12	mcg	0.40	0.80
Pantothenic acid	mg	0.60	1.2
Biotin	mcg	4.0	8.0
Choline	mg	30	60
MINERALS			
Sodium	mg	84	168
Potassium	mg	35	70
Chloride	mg	60	120
Calcium	mg	47	94
Phosphorus	mg	30	60
Magnesium	mg	15	30
Iron	mg	2.0	4.0
Copper	mg	0.16	0.32
Zinc	mg	1.6	3.2
Manganese	mg	0.20	0.40
Iodine	mcg	22	44
Molybdenum	mcg	8.8	18
Selenium	mcg	6.3	13
Chromium	mcg	3.1	6.2
AMINO ACIDS			
L-Carnitine	mg	4.0	8.0

Potential renal solute load: 128 mOsm/L

Osmolality: 700 mOsm/kg

RENASTEP

VANILLA (ARTIFICIALLY FLAVORED)

Ingredients: Water, Dried corn syrup, Vegetable oil (high oleic sunflower, sunflower, canola), Calcium caseinate (milk), Sodium caseinate (milk), Citric acid esters of mono- and diglycerides, Cellulose gel and gum, Sodium citrate, Natural and artificial flavor, Calcium lactate, Schizochytrium sp. oil, Potassium citrate, Magnesium chloride, Choline chloride, Ferrous sulfate, Salt, Maltodextrin, Ascorbic acid, Sodium ascorbate, Magnesium oxide, L-carnitine, Zinc sulfate, Manganese gluconate, Niacinamide, Copper gluconate, Vitamin K1, Vitamin D3, Calcium pantothenate, Vitamin B12, Vitamin A acetate, Biotin, Sodium selenite, Potassium iodide, Pyridoxine hydrochloride, Riboflavin, Thiamine mononitrate, Sodium molybdate, Chromium chloride, Tocopherols (preservative), Ascorbyl palmitate (preservative), Folic acid.

Contains: Milk.

*A source of Docosahexaenoic Acid (DHA).

Manufactured in France for Vitaflo USA, LLC.

1007 US Highway 202/206, Building JR-2, Bridgewater, NJ 08807

Tel: 888-848-2356 | Fax: 631-693-2002 | Email: vitafloNAM@vitaflousa.com

VitafloUSA.com | Code: VFUSA_11221_030323

All trademarks are owned by Société des Produits Nestlé S.A., Vevey, Switzerland. © 2023 Nestlé.



Enhancing Lives Together
A Nestlé Health Science Company

Certified



Corporation